Revision Number 1

Revision Date 16-July 2020 Issuing Date 24-Mar-2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Product Name GOOP HAND SANITIZER WIPES -90CT / 150CT

Other means of identification

Synonyms 10090 / 10150

Recommended use of the chemical and restrictions on use

Recommended Use Alcohol Antiseptic Topical Solution / Hand Sanitizer

This is a personal car or cosmetic product that is safe for consumers and other users under **Restrictions on Use**

2. HAZARDS IDENTIFICATION

normal and reasonably foreseeable use.

Details of the supplier of the safety data sheet

Supplier Name CRITZAS INDUSTRIES, INC.

Supplier Address 4041 PARK AVENUE

> ST. LOUIS MO 63110 US

Supplier Phone Number Phone:314-7738510

Fax:314-773-4837

Contact Phone314-773-8510

Supplier Email critzasind@aol.com

Emergency telephone number

Classification

_	_	

Flammable Liquids	Category 3
Serious Eye Damage / Eye irritation	Category 2A

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Hazard Statements
H226 Flammable Liquid and vapour
H319 Causes serious eye irritation

.

Precautionary statements

Prevention:

P210 Keep away from heat/spark/open flame/hot surfaces

No smoking

P233 Keep container tightly closed

P241 Use explosion-proof electrical/ventiliation/lighting/equipment

P232 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention

Storage

P403 + P235 Store in well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification:

Vapors may form from explosive mixture with air

3. COMPOSITION/INFORMATION ON INGREDIENTS

•

Chemical Name	CAS No	Weight-%	Trade Secret
Ethanol	64-17-5	>=60 - <=100	*
Propan-2-ol	67-63-0	<10	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Seek immediate medical

attention/advice.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Causes serious eye irritation

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization of susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray
Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO2)

Unsuitable extinguishing media

High volume water jet

Specific hazards arising from the chemical

Do not use a solid water stream as it may scatter and spread fire Flash back possible over considerable distance Vapours may form explosive mixture with air Exposure to combustion products may be a hazard to health

Hazchem Code: 3Y

Hazardous Combustion Products

Carbon oxides.

<u>Specific extinguishing methods</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Protective equipment and precautions for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition

Use personal protective equipment

Follow safe handling advice and personal protective equipment recommendations

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Discharge into environment must be avoided.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area

Retain and dispose of contaminated wash water

Local authorities should be advised if significant spillages cannot be contained

Methods for cleaning up Non-Spark tools should be used

Soak up with inert absorbent material.

Suppress (Knock down) gases/vapours/ mists with a water spray jet

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate

container. Clean up remaining material from spill with suitable absorbent.

Local or national regulations may apply to releases a disposal of this material, as well as those materials from spill with suitable absorbent. You will need to determine which

regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national

requiments

7. HANDLING AND STORAGE

HANDLING AND STORAGE

Technical measures: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation: Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling: Avoid inhalation of vapour or mist. Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures: Ensure that eye flushing systems and safety showers are located close to the working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage: Keep in properly labelled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid: Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides

Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	Basis
Ethanol	TWA: 1000 ppm	AU OEL
64-17-5	1880 mg/m3	ACGIH
	STEL: 1000 ppm	
Propan-2-ol	TWA: 400ppm	AU OEL
67-63-0	983 mg/m3	
	STEL: 500 ppm	AU OEL
	1230 mg/m3	
	TWA: 200 ppm	ACGIH
	STEL: 400 ppm	ACGIH

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value

Chemical Name	Control Parameters	Biological Specimen	Sampling Time	Permissible Concentration	Basis
Propan-2-ol	Acetone	Urine	End of shift at end of	40 mg/l	ACGIH
67-63-0			work dav		BEI

Engineering Measures Minimize workplace exposure concentrations

Use only in an area equipped with explosion proof exhaust ventilation

Use with local exhaust ventilation

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Respiratory protectionUse respiratory protection unless adequate local exhaust ventilation is provided or

exposure assessment demonstrates that exposures are within exposure guidelines.

Hygiene Measures

Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

 Physical state
 Liquid

 Appearance
 Clear
 Odor
 Alcohol like

 Color
 No information available
 Odor Threshold
 No information available

Property Values Remarks Method 6.5 - 8.5None known Hq Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point 23.7 None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** 0.789 g/cm3 None known **Water Solubility** Soluble in water None known Solubility in other solvents None known No data available Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known **Explosive properties** No data available **Oxidizing properties** No data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity

Not classified as a reactive hazard

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Flammable liquid and vapour

Vapours may form explosive mixture with air

Can react with strong oxidizing agents

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known

11. TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components: Ethanol:

Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity: LC50 (Rat): 124.7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Propan-2-ol:

Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity: LC50 (Rat): 72.6 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Components: Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Propan-2-ol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components: Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Propan-2-ol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components: Ethanol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components: Ethanol:

Genotoxicity in vitro: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo: Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Propan-2-ol:

Genotoxicity in vitro: Test Type: Bacterial reverse mutation assay (AMES) Result: negative

Genotoxicity in vivo: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components: Propan-2-ol:

Species: Rat

Application Route: inhalation (vapour) Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

Reproductive toxicity

Not classified based on available information.

Components: Ethanol:

Effects on fertility: Test Type: Two-generation reproduction toxicity study

Propan-2-ol:

Effects on fertility: Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal development: Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components: Ethanol:

Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Propan-2-ol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour) Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components: Ethanol:

Toxicity to fish:

LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae:

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria:

EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Propan-2-ol:

Toxicity to fish:

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to algae:

ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l

Exposure time: 8 d

Toxicity to bacteria:

EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Product:

Biodegradability: Result: Readily biodegradable

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable Biodegradation: 84 % Exposure time: 20 d

Propan-2-ol:

Biodegradability: Result: rapidly degradable

Bioaccumulative potential

Components: Ethanol:

Partition coefficient: n-octanol/water: log Pow: -0.35

Propan-2-ol:

Partition coefficient: n- octanol/water: log Pow: 0.05

Mobility in soilNo data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues:

Dispose of in accordance with local regulations.

Contaminated packaging:

Dispose of as unused product.

Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number: UN 1987

Proper shipping name: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)

Class: 3

Packing group: III

Labels: 3 IATA-DGR

UN/ID No.: UN 1987

Proper shipping name: Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3 Packing group : III

Labels : Flammable

Liquids

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-ture

Standard for the Uniform Scheduling of Medicines and Poisons:

No poison schedule number allocated

Prohibition/LicensingRequirements:

There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

The components of this product are reported in the following inventories:

REACH:

All ingredients (pre-)registered or exempt.

TSCA:

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

DSL:

All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

AICS: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Date format : dd.mm.yyyy
Full text of other abbreviations

ACGIH: USA. ACGIH Threshold Limit Values (TLV) ACGIH BEI: ACGIH - Biological Exposure Indices (BEI)

AU OEL: Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA: 8-hour, time-weighted average ACGIH / STEL: Short-term exposure limit

AU OEL / TWA: Exposure standard - time weighted average AU OEL / STEL: Exposure standard - short term exposure limit

Page 13 / 14

Prepared By Critzas Industries, Inc.

4041 Park Ave, St. Louis, MO 314-773-8510

Issuing Date24-March-2020Revision Date16-July-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet